GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

Public Services – MA&UD Department – Allegations of irregularities in comprehensive water supply service improvement Scheme in Markapur Municipality, Prakasam District - Departmental proceedings initiated against Sri K.Rama Mohan Rao, Project Manager, APMDP and Executive Engineer, PH Division, Ongole - Appointment of Sri T.Mohan, Superintending Engineer, PH Circle, Nellore as an Enquiry Officer - Orders – Issued.

MUNICIPAL ADMINISTRATION & URBAN DEVELOPMENT (Vig.II.2) DEPARTMENT

G.O.Rt.No.137 **Dated:19.02.2019.**

Read the following:-

1) From General Administration (V&E) Department, Vigilance Report No.121 (1012-12/V&E/2015), dated.28.12.2017.
2) Govt.Memo.No.984520/Vig.II.2/2018, MA&UD (Vig.II) Department, dated.22.01.2018.
3) From the ENC (PH), A.P., Guntur, Proceedings No.17424/V&E/VR.121/ CS2/2018, dt.22.02.2018.
4) Explanation of Sri K.Rama Mohan Rao, Project Manager, APMDP, Markapur and Executive Engineer, PH Division, Ongole, dt.09.07.2018 received through ENC (PH), A.P., Guntur, Letter No.17424/V&E/VR.121/CS2/2018, dated.26.09.2018.

***

O R D E R:

Whereas, an inquiry under Rule-20 of A.P. Civil Services (CC&A) Rules, 1991 is being held against Sri K.Rama Mohan Rao, Project Manager, APMDP and Executive Engineer, PH Division, Ongole, Prakasam District on allegations of irregularities in comprehensive water supply service improvement Scheme in Markapur Municipality, Prakasam District.

2. Whereas, Government after careful examination of the matter, it is considered that an Enquiry Officer should be appointed to inquire into the charges framed against above charged officers.

3. Now, therefore, in exercise of the powers conferred by sub-rule (2) of Rule-20 of A.P. Civil Services (CC&A) Rules, 1991, the disciplinary authority hereby appoints Sri T.Mohan, Superintending Engineer, PH Circle, Nellore as an Enquiry Officer to enquire into charges framed against the charged officer Sri K.Rama Mohan Rao, Project Manager, APMDP and Executive Engineer, PH Division, Ongole, Prakasam District.

4. The Enquiry Officer shall complete the enquiry and submit Enquiry Report within three months time.

5. The Engineer-In-Chief (PH), A.P., Guntur shall provide the required material such as Article of Charges, Written Statement of Defence of the Charged Officer etc., to the Enquiry Officer.

(P.T.O)

6. The receipt of the G.O., shall be acknowledged.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

R.KARIKAL VALAVEN
PRINCIPAL SECRETARY TO GOVERNMENT

To
Sri T.Mohan, Superintending Engineer & Enquiry Officer,
PH circle, Nellore – **through** the ENC (PH), A.P., Guntur.
The Commissioner & Presenting Officer, Markapur Municipality,
Prakasam District – **through** the DMA., A.P., Guntur.
Sri K.Rama Mohan Rao, Project Manager, APMDP & Executive Engineer,
PH Division, Ongole **- through** the ENC (PH), A.P., Guntur.

Copy to:
The Engineer-In-Chief (PH), A.P., Guntur.
The Director of Municipal Administration, A.P., Guntur.
The G.A. (V&E) Department, A.P., Vijayawada.
The Secretary to A.P.V.C., 5th Building, A.P. Secretariat, Velagapudi.
SF / SCs.

//FORWARDED BY ORDER//

SECTION OFFICER.